

according to Regulation (EC) No. 1907/2006 Version 2 Revision Date 03.12.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

SEC	I ON 1: Identification of the	substance/mixture and of the company/undertaking	
1.1	Product identifiers Product name	· Hydrochloric acid 5.0M (5N)	
	Product Number Brand Index-No. REACH No.	<ul> <li>5161</li> <li>Better Equipped</li> <li>017-002-01-X</li> <li>A registration number is not available for this substance as the substance or its uses are exempted from registration or the annual tonnage does not require a registration.</li> </ul>	
	CAS-No.	: 7647-01-0	
1.2	1.2 Relevant identified uses of the substance or mixture and uses advised against		
	Identified uses	: Laboratory chemicals, Manufacture of substances	
	Uses advised against	: Not for sale to the general public	
1.3	Details of the supplier of t Company	he safety data sheet : Better Equipped, Wrenbury Business Park, Wrenbury Road, Wrenbury, Nantwich, Cheshire, CW5 8EB, UK	
		Telephone       +44 (0) 800 9707142         Fax       +44 (0) 800 066 4443         E-mail address       sales@betterequipped.co.uk	
1.4	Emergency telephone number		
	Emergency Phone #	+44 (0)1270 781238	
SECT	FION 2: Hazards identification	on	
2.1	Classification of the subst	tance or mixture	
	Classification according to Regulation (EC) No 1272/2008 Corrosive to metals (Category 1), H290 Skin corrosion (Category 1B), H314 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335		
	For the full text of the H-Sta	tements mentioned in this Section, see Section 16.	
2.2 Label elements			
Labelling according Regulation (EC) No 1272/2008 Pictogram		lation (EC) No 1272/2008	
	Signal word	Danger	
	Hazard statement(s) H290 H314 H335	May be corrosive to metals. Causes severe skin burns and eye damage.	

May cause respiratory irritation.

H335



Precautionary statement(s)	
P260	Do not breathe dust/ fume/ gas/ mist/ vapours/ spray.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P303 + P361 + P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Formula	:	HCI
Molecular weight	:	36.46 g/mol

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Hydrochloric acid			
CAS-No. EC-No. Index-No.	7647-01-0 231-595-7 017-002-01-X	Met. Corr. 1; Skin Corr. 1B; STOT SE 3; H290, H314, H335 Concentration limits: >= 25 %: Skin Corr. 1B, H314; 10 - < 25 %: Skin Irrit. 2, H315; 10 - < 25 %: Eye Irrit. 2, H319; >= 10 %: STOT SE 3, H335; >= 0.1 %: Met. Corr. 1, H290;	>= 30 - < 50 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

#### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Remove contaminated clothing. Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.



4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

**Suitable extinguishing media** Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

#### **Unsuitable extinguishing media** Non stated.

- 5.2 Special hazards arising from the substance or mixture No data available
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.
- 5.4 Further information No data available

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### - 6.1.1 For non-emergency personnel

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

#### - 6.1.2 For emergency responders

Wear respiratory protection. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

#### 6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal.

6.4 Reference to other sections For disposal see section 13.

### SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

7.1.2 Advice on general occupational hygiene:

- No smoking.
- Do not eat or drink.
- Wash hands after use.
- Remove contaminated clothing.

For precautions see section 2.2.



### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	ValueForm of exposure	Control parameters	Basis
Hydrochloric acid	7647-01-0	STEL	10 ppm 15 mg/m3	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
	Remarks	Indicative		

TWA	5 ppm 8 mg/m3	Europe. Commission Directive 2000/39/EC establishing a first list of indicative occupational exposure limit values
Indicative		
TWA	1 ppm 2 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
STEL	5 ppm 8 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
TWA (Gas and aerosol mists)	1 ppm 2 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
STEL (Gas and aerosol mists)	5 ppm 8 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

# 8.1.2 Information on currently recommended monitoring procedures

For currently recommended monitoring procedures, see HSE series 'Methods for the Determination of Hazardous Substances' (MDHS)



### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Use Local exhaust ventilation (LEV).

### Personal protective equipment

### **Eye/face protection**

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 480 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup

to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Do not let product enter drains.

# **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

- a) Appearance
- b) Odour
- c) Odour Threshold
- d) pH
- e) Melting point/freezing point

Form: liquid Colour: light yellow pungent No data available No data available -30 °C



- f) Initial boiling point and boiling range
- g) Flash point
- h) Evaporation rate
- i) Flammability (solid, gas)
- j) Upper/lower flammability or explosive limits
- k) Vapour pressure
- I) Vapour density
- m) Relative density
- n) Water solubility
- o) Partition coefficient: n- octanol/water
- p) Auto-ignition temperature
- q) Decomposition temperature
- r) Viscosity
- s) Explosive properties
- t) Oxidizing properties

### 9.2 Other safety information

No data available

### **SECTION 10: Stability and reactivity**

- **10.1 Reactivity** Reacts violently with strong alkaline subtances
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** None under normal processing
- **10.4 Conditions to avoid** Avoid contact with alkaline substances

### 10.5 Incompatible materials

Bases, Amines, Alkali metals, Metals, permanganates, e.g. potassium permanganate, Fluorine, metal acetylides, hexalithium disilicide

#### **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas Other decomposition products - No data available Hazardous decomposition products formed under fire conditions. - Hydrogen chloride gas In the event of fire: see section 5

> 100 °C - lit. No data available No data available No data available No data available 227 hPa at 21.1 °C 547 hPa at 37.7 °C No data available 1.2 g/cm3 at 25 °C soluble No data available No data available



# **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

### Acute toxicity

No data available (Hydrochloric acid)

Inhalation: Inhalation may provoke the following symptoms: Respiratory irritation Cough Difficulty in breathing Pneumonia (Hydrochloric acid)

### Skin corrosion/irritation

Skin - Rabbit (Hydrochloric acid) Result: Causes burns.

### Serious eye damage/eye irritation

Eyes - Rabbit (Hydrochloric acid) Result: Corrosive to eyes

### Respiratory or skin sensitisation

Did not cause sensitisation on laboratory animals. (Hydrochloric acid)

### Germ cell mutagenicity

No data available (Hydrochloric acid)

#### Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification. (Hydrochloric acid)

(Hydrochloric acid)

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (Hydrochloric acid)

#### **Reproductive toxicity**

No data available (Hydrochloric acid)

#### Specific target organ toxicity - single exposure

The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation. (Hydrochloric acid)

#### Specific target organ toxicity - repeated exposure

The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

#### Aspiration hazard

No aspiration toxicity classification (Hydrochloric acid)

#### **Additional Information**

RTECS: MW4025000

Inhalation of vapors may cause:, burning sensation, Cough, wheezing, Shortness of breath, spasm, inflammation and edema of the larynx, spasm, inflammation and edema of the bronchi, pneumonitis, pulmonary edema (Hydrochloric acid)



# **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish

LC50 - Lepomis macrochirus (Bluegill) - 24.6 mg/l - 96 h (Hydrochloric acid)

Toxicity to daphnia and other aquatic invertebrates

EC50 - Daphnia magna (Water flea) - 4.91 mg/l - 48 h (Hydrochloric acid)

- 12.2 Persistence and degradability No data available
- **12.3 Bioaccumulative potential** No data available
- **12.4 Mobility in soil** No data available (Hydrochloric acid)

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

### 12.6 Other adverse effects

May be harmful to aquatic organisms due to the shift of the pH. Do not empty into drains.

#### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

#### Product

Offer surplus and non-recyclable solutions to a licensed disposal company.

#### **Contaminated packaging**

Dispose of as unused product.



#### SECTION 14: Transport information

14.1	<b>UN numbe</b> ADR/RID:	•	IMDG: 1789	IATA: 1789
14.2		shipping name HYDROCHLORIC ACI HYDROCHLORIC ACI Hydrochloric acid	-	
14.3	Transport ADR/RID: 8	hazard class(es) 3	IMDG: 8	IATA: 8
14.4	Packaging ADR/RID: I		IMDG: II	IATA: II
14.5	Environme ADR/RID: I	ental hazards no	IMDG Marine pollutant: no	IATA: no
14 6	Special pr	ecautions for user		

- 14.6 Special precautions for user No data available
- 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N/A

### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

#### Revisions made since previous version of data sheet:

The following sections of this data sheet have been updated:

1.1, 1.2, 4.1, 5.1, 6.1, 7.1, 8.1, 8.2, 11, 12, 13, 14.7, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.