

according to Regulation (EC) No. 1907/2006 Version 2 Revision Date 05.12.2018

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name	: <i>tert</i> -Butanol
Product Number Brand Index-No. REACH No.	: PRD5205 : Better Equipped : 603-005-00-1 : 01-2119444321-51-XXXX
CAS-No.	: 75-65-0

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Manufacture of substances
Uses advised against	:	Not for sale to the general public

#### **1.3** Details of the supplier of the safety data sheet

Company :	Better Equipped Wrenbury Busir Wrenbury Road Wrenbury, Nantwich, Ches CW5 8EB, UK	ness Park, I,
	Telephone Fax E-mail address	+44 (0) 800 9707142 +44 (0) 800 066 4443 sales@betterequipped.co.uk

# 1.4 Emergency telephone number

Emergency Phone # +44 (0)1270 781238

# **SECTION 2: Hazards identification**

# 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Acute toxicity, Inhalation (Category 4), H332 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335

For the full text of the H-Statements mentioned in this Section, see Section 16.

# 2.2 Label elements

# Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word



Danger

Signal word
Hazard statement(s)
H225
H319

Highly flammable liquid and vapour. Causes serious eye irritation.

	<b>Better</b> Equipped <sup>®</sup>
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P370 + P378	In case of fire: Use dry powder or dry sand to extinguish.
P403 + P235	Store in a well-ventilated place. Keep cool.
Supplemental Hazard Statements	none

# 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

# **SECTION 3: Composition/information on ingredients**

3.1 Substances		
Synonyms	:	2-Methyl-2-propanol, Trimethyl carbinol, <i>tert</i> -Butyl alcohol
Formula	:	C <sub>4</sub> H <sub>10</sub> O
Molecular weigh	nt :	74.12 g/mol
CAS-No.	:	75-65-0
EC-No.	:	200-889-7
Index-No.	:	603-005-00-1
Registration nur	mber :	01-2119444321-51-XXXX

# Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
tert-Butyl alcohol			
CAS-No. EC-No. Index-No.	75-65-0 200-889-7 603-005-00-1	Flam. Liq. 2; Acute Tox. 4 Irrit. 2; STOT SE 3; H225, H332, H319, H336, H335 Concentration limits: 20 %: STOT SE 3, H335;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

# SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Remove contaminated clothing. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

# If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.



## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

# SECTION 5: Firefighting measures

## 5.1 Extinguishing media

Suitable extinguishing media Dry powder Dry sand

**Unsuitable extinguishing media** Do NOT use water jet.

**5.2** Special hazards arising from the substance or mixture Flash back possible over considerable distance.

## 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

In case of fire: Evacuate area. Fight fire remotely due to the risk of explosion. Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

#### - 6.1.1 For non-emergency personnel

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

## - 6.1.2 For emergency responders

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

## 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

# 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

6.4 Reference to other sections For disposal see section 13.

# SECTION 7: Handling and storage

## 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

# 7.1.2 Advice on general occupational hygiene:

- No smoking.
- Do not eat or drink.
- Wash hands after use.



- Remove contaminated clothing.

For precautions see section 2.2.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store in cool place.

# 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

# Components with workplace control parameters

Component	CAS-No.	ValueForm of exposure	Control parameters	Basis
tert-Butyl alcohol	75-65-0	TWA	100 ppm 308 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		STEL	150 ppm 462 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

## 8.1.2 Information on currently recommended monitoring procedures

For currently recommended monitoring procedures, see HSE series 'Methods for the Determination of Hazardous Substances' (MDHS)

# 8.1.3 The relevant DNELs and PNECs for the substance/s for the exposure scenarios:

DNEL's. The derived no- or minimum effect level (DN(M)EL) is the level of exposure above which a human should not be exposed to a substance. Please note that when more than one summary is provided, DN(M)EL values may refer to constituents of the substance and not to the substance as a whole.

INHALATION ExposureThresholdMost sensitive studySystemic EffectsLong-term:(DNEL) 2.7 mg/m³repeated dose toxicityAcute /short term:(DNEL) 214 mg/m³repeated dose toxicityLocal Effectsrepeated dose toxicityLong-term:No hazard identifiedIAcute /short term:Low hazard (no threshold derived)IDERMAL ExposureThreshold no threshold derived)Most sensitive studySystemic EffectsILong-term:(DNEL) 5.5 mg/kg bw/dayrepeated dose toxicityAcute /short term:No hazard identifiedI		-			
Long-term:(DNEL) 2.7 mg/m³repeated dose toxicityAcute /short term:(DNEL) 214 mg/m³repeated dose toxicityLocal EffectsLong-term:No hazard identifiedAcute /short term:Low hazard (no threshold derived)DERMAL ExposureThresholdMost sensitive studySystemic EffectsLong-term:(DNEL) 5.5 mg/kg bw/dayrepeated dose toxicity		Threshold	Most sensitive study		
Long-term:(DNEL) 2.7 mg/mstoxicityAcute /short term:(DNEL) 214 mg/m3repeated dose toxicityLocal EffectsLong-term:No hazard identifiedAcute /short term:Low hazard (no threshold derived)DERMAL ExposureThresholdMost sensitive studySystemic EffectsLong-term:(DNEL) 5.5 mg/kg bw/dayrepeated dose toxicity	Systemic Effects				
Acute /short term:(DNEL) 214 mg/m²toxicityLocal EffectsLong-term:No hazard identifiedAcute /short term:Low hazard (no threshold derived)DERMAL ExposureThresholdSystemic EffectsLong-term:(DNEL) 5.5 mg/kg bw/dayrepeated dose toxicity	Long-term:	(DNEL) 2.7 mg/m³			
Long-term:No hazard identifiedAcute /short term:Low hazard (no threshold derived)DERMAL ExposureThresholdSystemic EffectsMost sensitive studyLong-term:(DNEL) 5.5 mg/kg bw/dayrepeated dose toxicity	Acute /short term:	(DNEL) 214 mg/m³			
Acute /short term:   Low hazard (no threshold derived)     DERMAL Exposure   Threshold     Systemic Effects   Konstantion     Long-term:   (DNEL) 5.5 mg/kg bw/day   repeated dose toxicity	Local Effects				
Acute /short term: derived)   DERMAL Exposure Threshold   Systemic Effects   Long-term: (DNEL) 5.5 mg/kg bw/day	Long-term:	No hazard identified			
Systemic Effects repeated dose toxicity	Acute /short term:				
Long-term: (DNEL) 5.5 mg/kg bw/day repeated dose toxicity	DERMAL Exposure	Threshold	Most sensitive study		
Long-term: (DNEL) 5.5 mg/kg bw/day toxicity	Systemic Effects				
Acute /short term: No hazard identified	Long-term:	(DNEL) 5.5 mg/kg bw/day			
	Acute /short term:	No hazard identified			

# Data for WORKERS



Local Effects		
Long-term:	Low hazard (no threshold derived)	
Acute /short term: No hazard identified		
EYE Exposure		
Medium hazard (no threshold derived)		

# Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 500 µg/m³	repeated dose toxicity	
Acute /short term:	(DNEL) 159.8 mg/m <sup>3</sup>	repeated dose toxicity	
Local Effects			
Long-term:	No hazard identified		
Acute /short term:	Low hazard (no threshold derived)		
DERMAL Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 2.7 mg/kg bw/day	repeated dose toxicity	
Acute /short term:	No hazard identified		
Local Effects			
Long-term:	Low hazard (no threshold derived)		
Acute /short term:	No hazard identified		
ORAL Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 300 µg/kg bw/day	repeated dose toxicity	
Acute /short term:	No hazard identified		
EYE Exposure			
Medium hazard (no threshold derived)			



PNEC's. The Predicted No-Effect Concentration (PNEC) value is the concentration of a substance below which adverse effects in the environment are not expected to occur. Please note that when more than one summary is provided, PNEC values may refer to constituents of the substance and not to the substance as a whole.

Hazard for Aquatic Organisms	
Freshwater	2 mg/L (1)
Intermittent releases (freshwater)	9.33 mg/L (1)
Marine water	200 µg/L (1)
Intermittent releases (marine water)	-
Sewage treatment plant (STP)	690 mg/L (1)
Sediment (freshwater)	8.04 mg/kg sediment dw (1)
Sediment (marine water)	804 µg/kg sediment dw (1)
Hazard for Air	
Air	No hazard identified (1)
Hazard for Terrestrial Organism	
Soil	1 mg/kg soil dw (1)
Hazard for Predators	
Secondary poisoning	88 700 g/kg food (1)

# 8.2 Exposure controls

# Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Use Local exhaust ventilation (LEV).

#### Personal protective equipment

# Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min



Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.2 mm Break through time: 30 min Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.



# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

		• •			
	a)	Appearance	Form: liquid		
	b)	Odour	Strong		
	c)	Odour Threshold	No data available		
	d)	рН	at 20 °Cneutral		
	e)	Melting point/freezing point	Melting point/range: 23 - 26 °C		
	f)	Initial boiling point and boiling range	83 °C		
	g)	Flash point	11 °C - closed cup		
	h)	Evaporation rate	No data available		
	i)	Flammability (solid, gas) No data available			
	j)	Upper/lower flammability or explosive limits	Upper explosion limit: 8 %(V) Lower explosion limit: 2.4 %(V)		
	k)	Vapour pressure	41 hPa at 20 °C 59 hPa at 26 °C		
	I)	Vapour density	2.56 - (Air = 1.0)		
	m)	Relative density	0.775 g/mL at 25 °C		
	n)	Water solubility	completely miscible		
	o)	Partition coefficient: n- octanol/water	No data available		
	p)	Auto-ignition temperature	No data available		
	q)	Decomposition temperature	No data available		
	r)	Viscosity	No data available		
	s)	Explosive properties	No data available		
	t)	Oxidizing properties	No data available		
Other safety information					
		Relative vapour density	2.56 - (Air = 1.0)		

# SECTION 10: Stability and reactivity

9.2

# 10.1 Reactivity None based on data available10.2 Chemical stability

- Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.

# **10.5** Incompatible materials Strong oxidizing agents, Copper, Alkali metals, Aluminum



# **10.6 Hazardous decomposition products**

Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 2,743 mg/kg Remarks: Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation. Respiratory disorder Gastrointestinal:Other changes.

LC50 Inhalation - Rat - 4 h - > 10000 ppm Remarks: Behavioral:Ataxia. Lungs, Thorax, or Respiration:Dyspnea. Lungs, Thorax, or Respiration:Pulmonary emboli.

LD50 Dermal - Rabbit - > 2,000 mg/kg (OPPTS 870.1200) Remarks: Prolonged skin contact may cause skin irritation and/or dermatitis. Behavioral:Ataxia.

#### Skin corrosion/irritation

Skin - Rabbit Result: No skin irritation - 24 h (Draize Test)

### Serious eye damage/eye irritation

Eyes - Rabbit Result: Irritating to eyes. - 24 h

# Respiratory or skin sensitisation

Maximisation Test - Guinea pig Result: Did not cause sensitisation on laboratory animals. (OECD Test Guideline 406)

#### Germ cell mutagenicity

No data available

# Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

# Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation. Inhalation - May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information RTECS: EO1925000

drying, cracking of the skin, Skin irritation

Liver - Irregularities - Based on Human Evidence



# SECTION 12: Ecological information

# 12.1 Toxicity

Toxicity to fish	LC50 - Pimephales promelas (fathead minnow) - 6,140 mg/l - 96 h
------------------	---

Toxicity to daphnia and EC50 - Daphnia magna (Water flea) - 933 mg/l - 48 h other aquatic

invertebrates

- 12.2 Persistence and degradability Biodegradability Zahn-Wellens Test - Exposure time 19 d Result: > 99.9 % - Readily biodegradable.
- **12.3 Bioaccumulative potential** Does not bioaccumulate.
- 12.4 Mobility in soil No data available

# 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Other adverse effects

No data available

# SECTION 13: Disposal considerations

# 13.1 Waste treatment methods

## Product

N/A

Offer surplus and non-recyclable solutions to a licensed disposal company. Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. Leave chemicals in original containers. No mixing with other waste. Handle uncleaned containers like the product itself. Unused product may be returned and reused, in addition to disposal.

# **Contaminated packaging**

Dispose of as unused product.

SECTION 14: Transport information						
14.1	<b>UN number</b> ADR/RID: 1120	IMDG: 1120	IATA: 1120			
14.2	UN proper shipping name ADR/RID: BUTANOLS IMDG: BUTANOLS IATA: Butanols					
14.3	Transport hazard class(es) ADR/RID: 3	IMDG: 3	IATA: 3			
14.4	Packaging group ADR/RID: II	IMDG: II	ΙΑΤΑ: ΙΙ			
14.5	Environmental hazards ADR/RID: no	IMDG Marine pollutant: no	IATA: no			
14.6	Special precautions for user No data available					
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code					



# **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

# 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.

## Revisions made since previous version of data sheet:

#### The following sections of this data sheet have been updated:

1.2, 3.1, 6.1, 7.1, 8.1, 8.2, 12.3, 13.1, 14.7, 15.1, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.

