

according to Regulation (EC) No. 1907/2006 Version 2 Revision Date 08.12.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1	REACH No.	:	Isopropyl alcohol 5245 Better Equipped 603-117-00-0 01-2119457558-25-XXXX 67-63-0
1.2	Relevant identified uses of the substance or mixture and uses advised against		ne substance or mixture and uses advised against
	Identified uses	:	Laboratory chemicals, Manufacture of substances
	Uses advised against	:	Not for sale to the general public
1.3	Details of the supplier of the Company :	ne safety data sheet : Better Equipped, Wrenbury Business Park, Wrenbury Road, Wrenbury, Nantwich, Cheshire, CW5 8EB, UK	
			Telephone +44 (0) 800 9707142 Fax +44 (0) 800 066 4443 E-mail address sales@betterequipped.co.uk
1.4	Emergency telephone numb	be	er
	Emergency Phone #		+44 (0)1270 781238

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 2), H225 Eye irritation (Category 2), H319 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008 Pictogram

Signal word	Danger
Hazard statement(s) H225 H319 H336	Highly flammable liquid and vapour. Causes serious eye irritation. May cause drowsiness or dizziness.



Precautionary statement(s) P210

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P280	Wear eye protection/ face protection.
P304 + P340 + P312	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313	If eye irritation persists: Get medical advice/ attention.
P403 + P235	Store in a well-ventilated place. Keep cool.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms	: 2-Propanolsec-Propyl alcohol, IPA, Isopropanol
Formula	: C3H8O
Molecular weight	: 60.1 g/mol
CAS-No.	: 67-63-0
EC-No.	: 200-661-7
Index-No.	: 603-117-00-0
Registration number	: 01-2119457558-25-XXXX

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
2-Propanol			
CAS-No.	67-63-0	Flam. Liq. 2; Eye Irrit. 2; STOT	<= 100 %
EC-No.	200-661-7	SE 3; H225, H319, H336	
Index-No.	603-117-00-0	Concentration limits:	
Registration number	01-2119457558-25-XXXX	>= 20 %: STOT SE 3, H336;	

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Remove contaminated clothing. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available



SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media High volume water jet.

- **5.2** Special hazards arising from the substance or mixture Highly flammable liquid and vapour.
- **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 6.1.1 For non-emergency personnel

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

- 6.1.2 For emergency responders

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist. Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

- 7.1.2 Advice on general occupational hygiene:
- No smoking.
- Do not eat or drink.
- Wash hands after use.
- Remove contaminated clothing.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Component	CAS-No.	ValueForm of exposure	Control parameters	Basis
2-Propanol	67-63-0	STEL	500 ppm 1,250 mg/m3	UK. EH40 WEL - Workplace Exposure Limits
		TWA	400 ppm 999 mg/m3	UK. EH40 WEL - Workplace Exposure Limits

8.1.2 Information on currently recommended monitoring procedures

For currently recommended monitoring procedures, see HSE series 'Methods for the Determination of Hazardous Substances' (MDHS)

8.1.3 The relevant PNECs for the substance/s for the exposure scenarios:

PNEC's. The Predicted No-Effect Concentration (PNEC) value is the concentration of a substance below which adverse effects in the environment are not expected to occur. Please note that when more than one summary is provided, PNEC values may refer to constituents of the substance and not to the substance as a whole.

Hazard for Aquatic Organisms		
Freshwater	140.9 mg/L (1)	
Intermittent releases (freshwater)	140.9 mg/L (1)	
Marine water	140.9 mg/L (1)	
Intermittent releases (marine water)	-	
Sewage treatment plant (STP)	2.251 g/L (1)	
Sediment (freshwater)	552 mg/kg sediment dw (1)	
Sediment (marine water)	552 mg/kg sediment dw (1)	
Hazard for Air		
Air	-	
Hazard for Terrestrial Organism		
Soil	28 mg/kg soil dw (1)	
Hazard for Predators		
Secondary poisoning	160 mg/kg food (1)	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and



at the end of workday. Use Local exhaust ventilation (LEV).

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Body Protection

Impervious clothing, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	alcohol-like
C)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	-89.49 °C
f)	Initial boiling point and boiling range	81.0 - 83.0 °C
g)	Flash point	12.0 °C - closed cup
h)	Evaporation rate	3.0
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 12.7
		%(V)
		Lower explosion limit: 2 %(V)
k)	Vapour pressure	43.2 hPa at 20.0 °C
		58.7 hPa at 25.0 °C
I)	Vapour density	No data available
m)	Relative density	0.78 g/cm3
n)	Water solubility	completely soluble
o)	Partition coefficient: n- octanol/water	log Pow: 0.05
p)	Auto-ignition temperature	425.0 °C
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available



9.2 Other safety information

Surface tension

20.8 mN/m at 25.0 °C

SECTION 10: Stability and reactivity

- **10.1 Reactivity** None based on the data available
- **10.2 Chemical stability** Stable under recommended storage conditions.
- **10.3 Possibility of hazardous reactions** Vapours may form explosive mixture with air.
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5** Incompatible materials Oxidizing agents, Acid anhydrides, Aluminium, Halogenated compounds, Acids
- Hazardous decomposition products
 Other decomposition products No data available
 Hazardous decomposition products formed under fire conditions. Carbon oxides
 In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 5,045 mg/kg Remarks: Behavioral:Altered sleep time (including change in righting reflex). Behavioral:Somnolence (general depressed activity).

LC50 Inhalation - Rat - male and female - 4 h - 37.5 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - 12,800 mg/kg

Skin corrosion/irritation Skin - Rabbit Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

Buehler Test - Guinea pig Result: negative (OECD Test Guideline 406)

Germ cell mutagenicity No data available

Ames test Salmonella typhimurium Result: negative

In vitro mammalian cell gene mutation test



Result: negative

OECD Test Guideline 474 Mouse - male and female - Bone marrow Result: negative

Carcinogenicity

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation, Oral - May cause drowsiness or dizziness. Acute inhalation toxicity - Central nervous system

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard No data available

Additional Information

RTECS: Not available

Central nervous system depression, prolonged or repeated exposure can cause:, Nausea, Headache, Vomiting, narcosis, Drowsiness, Overexposure may cause mild, reversible liver effects., Aspiration may lead to:, Lung oedema, Pneumonia

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Kidney - Irregularities - Based on Human Evidence

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish	Flow-through test LC50 - Pimephales promelas (fathead minnow) - 9,640 mg/l - 96 h	
	(US-EPA)	
Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 13,299 mg/l - 48 h	
	Remarks: (IUCLID)	
Toxicity to algae	IC50 - Desmodesmus subspicatus (green algae) - > 1,000 mg/l - 72 h Remarks: (IUCLID)	
Toxicity to bacteria	EC5 - Pseudomonas putida - 1,050 mg/l - 16 h	
	Remarks: (Lit.)	

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 21 d Result: 95 % - Readily biodegradable. (OECD Test Guideline 301E)



12.3 Bioaccumulative potential

No bioaccumulation is to be expected (log Pow ≤ 4).

12.4 Mobility in soil No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Unused product may be returned and reused, in addition to disposal.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1	UN number ADR/RID: 1219	IMDG: 1219	IATA: 1219
14.2	UN proper shipping ADR/RID: ISOPROF IMDG: ISOPROF IATA: Isopropa	YANOL YANOL	
14.3	Transport hazard cla ADR/RID: 3	ass(es) IMDG: 3	IATA: 3
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental haza ADR/RID: no	r ds IMDG Marine pollutant: no	IATA: no
14.6	Special precautions No data available	for user	

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code N/A

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.



15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H225	Highly flammable liquid and vapour.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

Revisions made since previous version of data sheet:

The following sections of this data sheet have been updated:

1.1, 3.1, 4.1, 5.1, 5.2, 6.1, 7.1, 8.1, 8.2, 10.3, 13.1, 14.7, 15.1, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.