

according to Regulation (EC) No. 1907/2006 (Reach)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifiers

Product name : 1-Hexanol

Product Number : PRD5565

Brand : Better Equipped Index-No. : 603-059-00-6

REACH No. : A registration number is not available for this substance as the substance

or its uses are exempted from registration, the annual tonnage does not

require a registration or the registration is envisaged for a later

registration deadline.

CAS-No. : 111-27-3

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

## 1.3 Details of the supplier of the safety data sheet

Company : Better Equipped,

Wrenbury Business Park,

Wrenbury Road,

Wrenbury,

Nantwich, Cheshire, CW5 8EB, UK

Telephone +44 (0) 800 9707142 Fax +44 (0) 800 066 4443

E-mail address sales@betterequipped.co.uk

Emergency telephone number

Emergency Phone # : +44 (0) 1270 781238

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312

Eye irritation (Category 2), H319

For the full text of the H-Statements mentioned in this Section, see Section 16.

## Classification according to EU Directives 67/548/EEC or 1999/45/EC

Xn Harmful R22

For the full text of the R-phrases mentioned in this Section, see Section 16.

### 2.2 Label elements

### Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour.

H302 + H312 Harmful if swallowed or in contact with skin

H319 Causes serious eye irritation.

Precautionary statement(s)

P280 Wear protective gloves/ protective clothing.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard

Statements

none

### 2.3 Other hazards - none

# **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Synonyms : Hexyl alcohol

Formula : C<sub>6</sub>H<sub>14</sub>O Molecular Weight : 102.17 g/mol CAS-No. : 111-27-3 EC-No. : 203-852-3 Index-No. : 603-059-00-6

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Hexan-1-ol			
CAS-No. EC-No. Index-No.	111-27-3 203-852-3 603-059-00-6	Flam. Liq. 3; Acute Tox. 4; Irrit. 2; H226, H302 + H312 H319	

Hazardous ingredients according to Directive 1999/45/EC

Component		Classification	Concentration
Hexan-1-ol			
CAS-No. EC-No. Index-No.	111-27-3 203-852-3 603-059-00-6	Xn, R22	<= 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

#### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

## General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

## If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

### In case of skin contact

Wash off with soap and plenty of water. Consult a physician.

## In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

## 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

## 4.3 Indication of any immediate medical attention and special treatment needed

no data available

## **SECTION 5: Firefighting measures**

# 5.1 Extinguishing media

## Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 5.2 Special hazards arising from the substance or mixture

Carbon oxides

### 5.3 Advice for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation.

Remove all sources of ignition. Beware of vapours accumulating to form explosive concentrations.

Vapours can accumulate in low areas.

For personal protection see section 8.

### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

#### 6.4 Reference to other sections

For disposal see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

For precautions see section 2.2.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

## 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

### 8.2 Exposure controls

## Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

# Personal protective equipment

## Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

## Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0.2 mm Break through time: 30 min

Material tested:Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

### Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: clear, liquid

Colour: colourless

b) Odour no data availablec) Odour Threshold no data available

d) pH no data available

e) Melting point/freezing Melting point/range: -52 °C - lit.

point

f) Initial boiling point and 156 - 157 °C - lit.

boiling range

g) Flash point no data available
h) Evapouration rate no data available
i) Flammability (solid, gas) no data available

j) Upper/lower Lower explosion limit: 1.3 %(V) flammability or

flammability or explosive limits

k) Vapour pressure 1.00 hPa at 20 °C 1 hPa at 25.6 °C

I) Vapour density 3.53 - (Air = 1.0) m) Relative density 0.814 g/cm3 at 25 °C

n) Water solubility no data available

p) Partition coefficient: n- log Pow: 1.82 octanol/water

p) Auto-ignition no data available temperature

q) Decomposition no data available temperature
 r) Viscosity no data available

r) Viscosity no data available
 s) Explosive properties no data available
 t) Oxidizing properties no data available

9.2 Other safety information

Relative vapour density 3.53 - (Air = 1.0)

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

no data available

# 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

no data available

## 10.4 Conditions to avoid

Heat, flames and sparks.

# 10.5 Incompatible materials

Strong oxidizing agents, Strong acids

## 10.6 Hazardous decomposition products

Other decomposition products - no data available In the event of fire; see section 5

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

## **Acute toxicity**

LD50 Oral - rat - 720 mg/kg

Remarks: Liver:Fatty liver degeneration. Kidney, Ureter, Bladder:Other changes. Blood:Other changes.

LD50 Dermal - rabbit - male - 1,500 mg/kg

#### Skin corrosion/irritation

Skin - rabbit

Result: Mild skin irritation

### Serious eye damage/eye irritation

Eyes - rabbit

Result: Irritating to eyes.

## Respiratory or skin sensitisation

no data available

## Germ cell mutagenicity

Result: Not mutagenic in Ames Test.

Histidine reversion (Ames)

### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

### Reproductive toxicity

no data available

## Specific target organ toxicity - single exposure

no data available

Acute dermal toxicity - Diarrhoea, Loss of reflexes, Coma, Rapid respiration

# Specific target organ toxicity - repeated exposure

no data available

### **Aspiration hazard**

no data available

#### **Additional Information**

RTECS: MQ4025000

Dermatitis, Nausea, Dizziness, Headache, narcosis, To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Toxicity to fish LC50 - Pimephales promelas (fathead minnow) - 97.7 mg/l - 96 h

Toxicity to daphnia and

EC50 - Daphnia magna (Water flea) - > 100 mg/l - 24 h

other aquatic invertebrates

# 12.2 Persistence and degradability

Biodegradability Result: > 70 % - Readily biodegradable.

### 12.3 Bioaccumulative potential

Bioaccumulation Oncorhynchus mykiss (rainbow trout) - 24 h

- 39,800 µg/l

Bioconcentration factor (BCF): 0.5

## 12.4 Mobility in soil

no data available

### 12.5 Results of PBT and vPvB assessment

PBT/vPvB assessment not available as chemical safety assessment not required/not conducted

### 12.6 Other adverse effects

Harmful to aquatic life.

no data available

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

## Contaminated packaging

Dispose of as unused product.

# **SECTION 14: Transport information**

### 14.1 UN number

ADR/RID: 2282 IMDG: 2282 IATA: 2282

## 14.2 UN proper shipping name

ADR/RID: HEXANOLS IMDG: HEXANOLS HEXANOLS

### 14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

# 14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

### 14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

## 14.6 Special precautions for user

no data available

## SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

no data available

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

### **SECTION 16: Other information**

## Full text of H-Statements referred to under sections 2 and 3.

Acute Tox. Acute toxicity
Eye Irrit. Eye irritation
Flam. Liq. Flammable liquids

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H302 + H312 Harmful if swallowed or in contact with skin

H312 Harmful in contact with skin.

# Full text of R-phrases referred to under sections 2 and 3

Xn Harmful

R22 Harmful if swallowed.

## **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product.