according to Regulation (EC) No. 453/2010 Version 2 Revision Date 07.12.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Limonene

Product Number : 5592

Brand : Better Equipped Index-No. : 601-029-00-7

REACH No. : A registration number is not available for this substance as the substance or

its uses are exempted from registration or the annual tonnage does not require

a registration.

CAS-No. : 5989-27-5

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : Not for sale to the general public

1.3 Details of the supplier of the safety data sheet

Company : Better Equipped,

Wrenbury Business Park,

Wrenbury Road,

Wrenbury,

Nantwich, Cheshire, CW5 8EB, UK

Telephone +44 (0) 800 9707142

Fax +44 (0) 800 066 4443

E-mail address sales@betterequipped.co.uk

1.4 Emergency telephone number

Emergency Phone # +44 (0)1270 781238

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Flammable liquids (Category 3), H226 Skin irritation (Category 2), H315 Skin sensitisation (Category 1), H317 Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400

Chronic aquatic toxicity (Category 1), 11400

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal word Warning

Hazard statement(s)

H226 Flammable liquid and vapour.

H304 May be fatal if swallowed and enters airways.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P280 Wear protective gloves.

P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/

physician.

P331 Do NOT induce vomiting.

P501 Dispose of contents/ container to an approved waste disposal plant.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : (+)-Carvene

(+)-p-Mentha-1,8-diene

(R)-4-Isopropenyl-1-methyl-1-cyclohexene

Formula : C₁₀H₁₆

Molecular weight : 136.23 g/mol
CAS-No. : 5989-27-5

EC-No. : 227-813-5

Index-No. : 601-029-00-7

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
D-Limonene			
CAS-No. EC-No. Index-No.	5989-27-5 227-813-5 601-029-00-7	Flam. Liq. 3; Skin Irrit. 2; Skin Sens. 1; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H226, H315, H317, H304, H400, H410 M-Factor - Aquatic Acute: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Remove contaminated clothing. Wash off with soap and plenty of water. Consult a physician.



In case of eye contact

Flush eyes with water as a precaution.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Unsuitable extinguishing media

Non Stated

5.2 Special hazards arising from the substance or mixture

Carbon oxides

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

5.4 Further information

Use water spray to cool unopened containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

- 6.1.1 For non-emergency personnel

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

- 6.1.2 For emergency responders

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.



7.1.2 Advice on general occupational hygiene:

- No smoking.
- Do not eat or drink.
- Wash hands after use.
- Remove contaminated clothing.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Storage class (TRGS 510): Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

8.1.2 The relevant DNELs and PNECs for the substance/s for the exposure scenarios:

DNEL's. The derived no- or minimum effect level (DN(M)EL) is the level of exposure above which a human should not be exposed to a substance. Please note that when more than one summary is provided, DN(M)EL values may refer to constituents of the substance and not to the substance as a whole.

Data for WORKERS

INHALATION Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 66.7 mg/m ³	repeated dose toxicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	No hazard identified	
Acute /short term:	No hazard identified	
DERMAL Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 9.5 mg/kg bw/day	repeated dose toxicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	Medium hazard (no threshold	



	derived)	
Acute /short term:	Medium hazard (no threshold derived)	
EYE Exposure		
No hazard identified		

Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 16.6 mg/m ³	repeated dose toxicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	No hazard identified	
Acute /short term:	No hazard identified	
DERMAL Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 4.8 mg/kg bw/day	repeated dose toxicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	No hazard identified	
Acute /short term:	No hazard identified	
ORAL Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 4.8 mg/kg bw/day	repeated dose toxicity
Acute /short term:	No hazard identified	
EYE Exposure		
No hazard identified		



PNEC's. The Predicted No-Effect Concentration (PNEC) value is the concentration of a substance below which adverse effects in the environment are not expected to occur. Please note that when more than one summary is provided, PNEC values may refer to constituents of the substance and not to the substance as a whole.

Hazard for Aquatic Organisms		
Freshwater	14 μg/L (1)	
Intermittent releases (freshwater)	-	
Marine water	1.4 μg/L (1)	
Intermittent releases (marine water)	-	
Sewage treatment plant (STP)	1.8 mg/L (1)	
Sediment (freshwater)	3.85 mg/kg sediment dw (1)	
Sediment (marine water)	385 μg/kg sediment dw (1)	
Hazard for Air		
Air	No hazard identified (1)	
Hazard for Terrestrial Organism		
Soil	763 μg/kg soil dw (1)	
Hazard for Predators		
Secondary poisoning	133 mg/kg food (1)	

8.2 Exposure controls

Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Use Local exhaust ventilation (LEV).

Personal protective equipment

Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0.4 mm Break through time: 480 min

Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber



Minimum layer thickness: 0.11 mm

Break through time: 31 min

Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de,

test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid, clear Colour:

b) Odour No data available

c) Odour Threshold No data available
d) pH No data available

e) Melting point/freezing point Melting point/range: -74.29 °C

f) Initial boiling point and boiling range 176 - 177 °C

g) Flash point 50 °C

h) Evaporation rate No data available i) Flammability (solid, gas) No data available

Upper/lower flammability or explosive limits

Upper explosion limit: 6.1 %(V)
Lower explosion limit: 0.7 %(V)

k) Vapour pressure 50 hPa at ca.50 °C l) Vapour density 4.70 - (Air = 1.0) m) Relative density 0.842 g/mL at 20 °C

m) Relative density 0.842 g/mL at 20 °C n) Water solubility immiscible

o) Partition coefficient: n- octanol/water log Pow: 4.2 p) Auto-ignition temperature 245 °C at 995 hPa q) Decomposition temperature No data available

r) Viscosity No data available s) Explosive properties No data available t) Oxidizing properties No data available

9.2 Other safety information

Relative vapour density 4.70 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

j)

None based on the data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

None under normal processing

10.4 Conditions to avoid

Heat, flames and sparks.

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

Other decomposition products - No data available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - 4,400 mg/kg

Remarks: Behavioral:Change in motor activity (specific assay). Respiratory disorder Skin and Appendages:

Other: Hair.

LD50 Dermal - Rabbit - > 5,000 mg/kg



Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation (OECD Test Guideline 405)

Respiratory or skin sensitisation

- Mouse

Result: May cause sensitisation by skin contact.

(OECD Test Guideline 429)

Germ cell mutagenicity

Mouse lymphocyte Result: negative

Rat - male Result: negative

Carcinogenicity

Carcinogenicity - Rat - Oral

Tumorigenic:Carcinogenic by RTECS criteria. Kidney, Ureter, Bladder:Kidney tumors. Tumorigenic Effects: Testicular tumors.

Carcinogenicity - Mouse - Oral

Tumorigenic:Equivocal tumorigenic agent by RTECS criteria. Gastrointestinal:Tumors.

This product is or contains a component that is not classifiable as to its carcinogenicity based on its IARC, ACGIH, NTP, or EPA classification.

IARC: 3 - Group 3: Not classifiable as to its carcinogenicity to humans (D-Limonene)

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity

Mouse - male and female - NOAEL: 1,650 mg/kg - LOAEL: 3,300 mg/kg - OECD Test Guideline 407

RTECS: GW6360000

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Liver - Irregularities - Based on Human Evidence



SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish flow-through test LC50 - Pimephales promelas (fathead minnow) - 0.72 mg/l -

96 h

(OECD Test Guideline 203)

Toxicity to daphnia and

other aquatic invertebrates

Immobilization EC50 - Daphnia magna (Water flea) - 0.36 mg/l - 48 h

(OECD Test Guideline 202)

Toxicity to bacteria EC50 - Sludge Treatment - 3.94 mg/l

(OECD Test Guideline 209)

12.2 Persistence and degradability

Biodegradability Result: 71 % - Readily biodegradable

(OECD Test Guideline 301B)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

Very toxic to aquatic life with long lasting effects.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2052 IMDG: 2052 IATA: 2052

14.2 UN proper shipping name

ADR/RID: DIPENTENE IMDG: DIPENTENE IATA: Dipentene

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III



14.5 Environmental hazards

ADR/RID: yes IMDG Marine pollutant: yes IATA: no

14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A

SECTION 15: Regulatory information

This safety datasheet complies with the requirements of Regulation (EC) No. 453/2010.

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Revisions made since previous version of data sheet:

The following sections of this data sheet have been updated:

1.1, 1.2, 4.1, 5.1, 6.1, 7.1, 8.1, 8.2, 11, 12, 13, 14.7, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.