

according to Regulation (EC) No. 1907/2006 Version 2 Revision Date 11.12.2018

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 **Product identifiers**

Product name	: Cyclohexane
Product Number Brand Index-No.	: PRD5639 : Better Equipped : 601-017-00-1
REACH No.	: 01-2119463273-41-XXXX
CAS-No.	: 110-82-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses	:	Laboratory chemicals, Manufacture of substances
Uses advised against	:	Not for sale to the general public

#### 1.3 Details of the supplier of the safety data sheet

Company	 :	Better Equippe Wrenbury Busi	
		Wrenbury Roa	
		Wrenbury,	
		Nantwich, Che CW5 8EB, UK	shire,
		Telenhone	± <i>11</i> (0) 800 970

 Telephone
 +44 (0) 800 9707142

 Fax
 +44 (0) 800 066 4443

 E-mail address
 sales@betterequipped.co.uk

#### 1.4 Emergency telephone number

Emergency Phone # +44 (0)1270 781238

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 Flammable liquids (Category 2), H225 Skin irritation (Category 2), H315 Specific target organ toxicity - single exposure (Category 3), Central nervous system, H336 Aspiration hazard (Category 1), H304 Acute aquatic toxicity (Category 1), H400 Chronic aquatic toxicity (Category 1), H410

For the full text of the H-Statements mentioned in this Section, see Section 16.

Danger

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008
Pictogram



Signal word Hazard statement(s) H225

Highly flammable liquid and vapour.

	<b>Better</b> Equipped <sup>®</sup>
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H336	May cause drowsiness or dizziness.
H410	Very toxic to aquatic life with long lasting effects.
Precautionary statement(s)	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing vapours.
P273	Avoid release to the environment.
P301 + P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P331	Do NOT induce vomiting.
P501	Dispose of contents/ container to an approved waste disposal plant.
Supplemental Hazard Statements	none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula	: C <sub>6</sub> H <sub>12</sub>
Molecular weight	: 84.16 g/mol
CAS-No.	: 110-82-7
EC-No.	: 203-806-2
Index-No.	: 601-017-00-1
Registration number	: 01-2119463273-41-XXXX

#### Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Cyclohexane			
CAS-No. EC-No. Index-No.	110-82-7 203-806-2 601-017-00-1 mber 01-2119463273-41-XXXX	Flam. Liq. 2; Skin Irrit. 2; STOT SE 3; Asp. Tox. 1; Aquatic Acute 1; Aquatic Chronic 1; H225, H315, H336, H304, H400, H410 Concentration limits: 20 %: STOT SE 3, H336; M-Factor - Aquatic Acute: 1	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

#### **General advice**

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Remove contaminated clothing. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.



#### If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

#### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

**4.3 Indication of any immediate medical attention and special treatment needed** No data available

#### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

Suitable extinguishing media Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Unsuitable extinguishing media High volume water jet.

5.2 Special hazards arising from the substance or mixture Highly flammable liquid and vapour.

#### **5.3** Advice for firefighters Wear self-contained breathing apparatus for firefighting if necessary.

**5.4 Further information** Use water spray to cool unopened containers.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

- 6.1.1 For non-emergency personnel

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

- 6.1.2 For emergency responders

Use personal protective equipment. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.

For personal protection see section 8.

#### 6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

#### 6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

## 6.4 Reference to other sections

For disposal see section 13.



## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

7.1.2 Advice on general occupational hygiene:

- No smoking.
- Do not eat or drink.
- Wash hands after use.
- Remove contaminated clothing.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Store under inert gas.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated



## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Components with workplace control parameters

Component	CAS-No.	ValueForm	Control	Basis
		of exposure	parameters	
Cyclohexane	110-82-7	TWA	200 ppm	Europe. Indicative occupational
			700 mg/m3	exposure limit values
	Remarks	Indicative		
		TWA	100 ppm	UK. EH40 WEL - Workplace
			350 mg/m3	Exposure Limits
		STEL	300 ppm	UK. EH40 WEL - Workplace
			1,050 mg/m3	Exposure Limits

#### 8.1.2 Information on currently recommended monitoring procedures

For currently recommended monitoring procedures, see HSE series 'Methods for the Determination of Hazardous Substances' (MDHS)

#### 8.1.3 The relevant DNELs and PNECs for the substance/s for the exposure scenarios:

DNEL's. The derived no- or minimum effect level (DN(M)EL) is the level of exposure above which a human should not be exposed to a substance. Please note that when more than one summary is provided, DN(M)EL values may refer to constituents of the substance and not to the substance as a whole.

#### Data for WORKERS

INHALATION Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 700 mg/m³	neurotoxicity
Acute /short term:	(DNEL) 1 400 mg/m <sup>3</sup>	neurotoxicity
Local Effects		
Long-term:	(DNEL) 700 mg/m³	irritation (respiratory tract)
Acute /short term:	(DNEL) 1 400 mg/m <sup>3</sup>	irritation (respiratory tract)
DERMAL Exposure	Threshold	Most sensitive study
Systemic Effects		
Long-term:	(DNEL) 2 016 mg/kg bw/day	neurotoxicity
Acute /short term:	No hazard identified	
Local Effects		
Long-term:	No hazard identified	



Acute /short term:	Low hazard (no threshold derived)	
EYE Exposure		
No hazard identified		

## Data for the GENERAL POPULATION

INHALATION Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 206 mg/m³	neurotoxicity	
Acute /short term:	(DNEL) 412 mg/m³	neurotoxicity	
Local Effects			
Long-term:	(DNEL) 206 mg/m³	irritation (respiratory tract)	
Acute /short term:	(DNEL) 412 mg/m³	irritation (respiratory tract)	
DERMAL Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 1 186 mg/kg bw/day	neurotoxicity	
Acute /short term:	No hazard identified		
Local Effects			
Long-term:	No hazard identified		
Acute /short term:	Low hazard (no threshold derived)		
ORAL Exposure	Threshold	Most sensitive study	
Systemic Effects			
Long-term:	(DNEL) 59.4 mg/kg bw/day	neurotoxicity	
Acute /short term:	No hazard identified		
EYE Exposure	·	·	
No hazard identified			



PNEC's. The Predicted No-Effect Concentration (PNEC) value is the concentration of a substance below which adverse effects in the environment are not expected to occur. Please note that when more than one summary is provided, PNEC values may refer to constituents of the substance and not to the substance as a whole.

Hazard for Aquatic Organisms		
Freshwater	207 µg/L (1)	
Intermittent releases (freshwater)	207 µg/L (1)	
Marine water	207 µg/L (1)	
Intermittent releases (marine water)	-	
Sewage treatment plant (STP)	3.24 mg/L (1)	
Sediment (freshwater)	16.68 mg/kg sediment dw (1)	
Sediment (marine water)	16.68 mg/kg sediment dw (1)	
Hazard for Air		
Air	Hazard related to composition of atmosphere identified (1)	
Hazard for Terrestrial Organism		
Soil	3.38 mg/kg soil dw (1)	
Hazard for Predators		
Secondary poisoning	No potential for bioaccumulation (1)	

#### 8.2 Exposure controls

#### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Use Local exhaust ventilation (LEV).

#### Personal protective equipment

#### Eye/face protection

Face shield and safety glasses Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

#### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

Full contact



Material: Nitrile rubber Minimum layer thickness: 0.4 mm Break through time: 480 min Material tested:Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact Material: Nitrile rubber Minimum layer thickness: 0.11 mm Break through time: 35 min Material tested:Dermatril® (KCL 740 / Aldrich Z677272, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the CE approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

#### **Body Protection**

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### **Respiratory protection**

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### **Control of environmental exposure**

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.



## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

a)	Appearance	Form: liquid Colour: colourless
b)	Odour	No data available
c)	Odour Threshold	No data available
d)	рН	No data available
e)	Melting point/freezing point	Melting point/range: 4 - 7 °C - lit.
f)	Initial boiling point and boiling range	80.7 °C - lit.
g)	Flash point	-18.0 °C - closed cup
h)	Evaporation rate	No data available
i)	Flammability (solid, gas)	No data available
j)	Upper/lower flammability or explosive limits	Upper explosion limit: 9 %(V) Lower explosion limit: 1 %(V)
k)	Vapour pressure	225.0 hPa at 37.7 °C 102.7 hPa at 20.0 °C
I)	Vapour density	No data available
m)	Relative density	0.779 g/cm3 at 25 °C
n)	Water solubility	No data available
o)	Partition coefficient: n- octanol/water	log Pow: 3.44
p)	Auto-ignition temperature	260.0 °C
q)	Decomposition temperature	No data available
r)	Viscosity	No data available
s)	Explosive properties	No data available
t)	Oxidizing properties	No data available

#### 9.2 Other safety information

No data available

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

None based on the data available

## 10.2 Chemical stability

Stable under recommended storage conditions.



- **10.3 Possibility of hazardous reactions** None under normal processing
- **10.4 Conditions to avoid** Heat, flames and sparks.
- **10.5 Incompatible materials** Strong oxidizing agents

# Hazardous decomposition products Hazardous decomposition products formed under fire conditions. - Carbon oxides Other decomposition products - No data available In the event of fire: see section 5

#### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Acute toxicity

LD50 Oral - Rat - 12,705 mg/kg

LC50 Inhalation - Rat - 4 h - 34,000 mg/l (OECD Test Guideline 403)

LD50 Dermal - Rabbit - > 2,000 mg/kg

**Skin corrosion/irritation** Skin - Rabbit Result: No skin irritation

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

#### Serious eye damage/eye irritation

Eyes - Rabbit Result: Mild eye irritation

**Respiratory or skin sensitisation** No data available

#### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

#### **Reproductive toxicity**

No data available

Specific target organ toxicity - single exposure No data available

Specific target organ toxicity - repeated exposure No data available

Aspiration hazard May be fatal if swallowed and enters airways.

#### **Additional Information**

RTECS: GU6300000

Central nervous system depression, Drowsiness, Irritability, Dizziness, Gastrointestinal disturbance, Lung irritation, chest pain, pulmonary edema



## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Toxicity to daphnia and other aquatic invertebrates Immobilization EC50 - Daphnia magna (Water flea) - 0.9 mg/l - 48 h (OECD Test Guideline 202)

Toxicity to algae EC50 - Pseudokirchneriella subcapitata (green algae) - 3.4 mg/l - 72 h (OECD Test Guideline 201)

#### 12.2 Persistence and degradability

Biodegradability Result: - Readily biodegradable.

- **12.3 Bioaccumulative potential** No data available
- 12.4 Mobility in soil

No data available

**12.5** Results of PBT and vPvB assessment This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

Very toxic to aquatic life.

#### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### Product

. . . . . . .

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Unused product may be returned and reused, in addition to disposal.

#### Contaminated packaging

Dispose of as unused product.

#### **SECTION 14: Transport information**

14.1	<b>UN number</b> ADR/RID: 1145	IMDG: 1145	IATA: 1145
14.2	UN proper shipping nameADR/RID:CYCLOHEXANEIMDG:CYCLOHEXANEIATA:Cyclohexane		
14.3	Transport hazard class(es) ADR/RID: 3	IMDG: 3	IATA: 3
14.4	Packaging group ADR/RID: II	IMDG: II	IATA: II
14.5	Environmental hazards ADR/RID: yes	IMDG Marine pollutant: yes	IATA: no
14.6	Special precautions for user No data available		
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code		



#### **SECTION 15: Regulatory information**

**15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Cyclohexane

## 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out

#### **SECTION 16: Other information**

#### Full text of H-Statements referred to under sections 2 and 3.

- H225 Highly flammable liquid and vapour.
- H304 May be fatal if swallowed and enters airways.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects

#### Revisions made since previous version of data sheet:

The following sections of this data sheet have been updated: 1.2, 4.1, 5.1, 5.2, 6.1, 7.1, 8.1, 8.2, 13.1, 14.7, 15.1, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

#### Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.