

according to Regulation (EC) No. 1907/2006 Version 2 Revision Date 10.12.2018

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Barium peroxide

Product Number : PRD5653

Brand : Better Equipped Index-No. : 056-001-00-1

REACH No. : A registration number is not available for this substance as the substance or

its uses are exempted from registration or the annual tonnage does not require

a registration

CAS-No. : 1304-29-6

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : Not for sale to the general public

1.3 Details of the supplier of the safety data sheet

Company : Better Equipped,

Wrenbury Business Park,

Wrenbury Road,

Wrenbury,

Nantwich, Cheshire, CW5 8EB, UK

Telephone +44 (0) 800 9707142 Fax +44 (0) 800 066 4443

E-mail address sales@betterequipped.co.uk

1.4 Emergency telephone number

Emergency Phone # +44 (0)1270 781238

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Oxidizing solids (Category 2), H272 Acute toxicity, Oral (Category 4), H302 Acute toxicity, Inhalation (Category 4), H332

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidizer.



H302 + H332 Harmful if swallowed or if inhaled

Precautionary statement(s)

P210 Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P220 Keep/Store away from clothing/ combustible materials.
P221 Take any precaution to avoid mixing with combustibles.
P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Rinse mouth.

P370 + P378 In case of fire: Use dry powder or dry sand to extinguish.

Supplemental Hazard

Statements

none

#### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Formula : BaO2

 Molecular weight
 : 169.34 g/mol

 CAS-No.
 : 1304-29-6

 EC-No.
 : 215-128-4

 Index-No.
 : 056-001-00-1

Hazardous ingredients according to Regulation (EC) No 1272/2008

Component		Classification	Concentration
Barium peroxide			
CAS-No. EC-No. Index-No.	1304-29-6 215-128-4 056-001-00-1	Ox. Sol. 2; Acute Tox. 4; H272, H302, H332	<= 100 %

For the full text of the H-Statements mentioned in this Section, see Section 16.

#### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

### General advice

Consult a physician. Show this safety data sheet to the doctor in attendance.

#### If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

#### In case of skin contact

Remove Contaminated clothing. Wash off with soap and plenty of water. Consult a physician.

#### In case of eye contact

Flush eyes with water as a precaution.

#### If swallowed

Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

### 4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11



## 4.3 Indication of any immediate medical attention and special treatment needed

No data available

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media

#### Suitable extinguishing media

Alcohol-resistant foam, dry chemical or carbon dioxide.

### Unsuitable extinguishing media

Water Spray

### 5.2 Special hazards arising from the substance or mixture

This substance is an oxidizer and is non-flammable but may ignite combustible material.

### 5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### 5.4 Further information

Use water spray to cool unopened containers.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

### - 6.1.1 For non-emergency personnel

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

### - 6.1.2 For emergency responders

Use personal protective equipment. Avoid dust formation. Avoid breathing vapours, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas. Avoid breathing dust.

For personal protection see section 8.

#### 6.2 Environmental precautions

Do not let product enter drains.

### 6.3 Methods and materials for containment and cleaning up

Sweep up and shovel. Contain spillage, and then collect with an electrically protected vacuum cleaner or by brushing and place in container for disposal according to local regulations (see section 13). Keep in suitable, closed containers for disposal. Avoid contact with a combustible material (wood, paper, oil, clothing).

#### 6.4 Reference to other sections

For disposal see section 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid formation of dust and aerosols.

Provide appropriate exhaust ventilation at places where dust is formed. Keep away from sources of ignition

- No smoking.
- -Kepp away from incompatible materials such as combustible materials (wood, paper, oil, clothing etc).

#### 7.1.2 Advice on general occupational hygiene:

- No smoking.
- Do not eat or drink.
- Wash hands after use.
- Remove contaminated clothing.

For precautions see section 2.2.



#### 7.2 Conditions for safe storage, including any incompatibilities

Store in cool place. Keep container tightly closed in a dry and well-ventilated place.

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

### Components with workplace control parameters

Component	CAS-No.	ValueForm of exposure	Control parameters	Basis
Barium peroxide	1304-29-6	TWA	0.5 mg/m3	Europe. Indicative occupational
				exposure limit values
	Remarks	Indicative		
		TWA	0.5 mg/m3	UK. EH40 WEL - Workplace
				Exposure Limits
		Where no specific short-term exposure limit is listed, a figure three		
		times the long-term exposure should be used		

### 8.2 Exposure controls

### Appropriate engineering controls

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Use Local exhaust ventilation (LEV).

#### Personal protective equipment

#### Eye/face protection

Safety glasses with side-shields conforming to EN166 Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

### Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of EU Directive 89/686/EEC and the standard EN 374 derived from it.

### **Body Protection**

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

#### Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face particle respirator type N100 (US) or type P3 (EN 143) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

#### Control of environmental exposure

Do not let product enter drains.



### **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

a) Appearance Form: solid Colour: light grey

b) Odour odourless

c) Odour Threshold No data available

d) pH ca.12 at 10 g/l at 20 °C

e) Melting Melting point/freezing point: 450 °C

point/freezing point

f) Initial boiling point No data available

and boiling range

g) Flash point Not applicable
h) Evaporation rate No data available
i) Flammability (solid, No data available

gas)

j) Upper/lower No data available

flammability or explosive

limits

k) Vapour pressure No data available
l) Vapour density No data available
m) Relative density 4.96 g/cm3 at 20 °C
n) Water solubility No data available
o) Partition coefficient: No data available

n- octanol/water

p) Auto-ignition No data available

temperature

q) Decomposition No data available

temperature

r) Viscosity No data availables) Explosive No data available

properties

t) Oxidizing properties The substance or mixture is

classified as oxidizing with the

category 2.

### 9.2 Other safety information

Bulk density ca.1,700 - 2,000 kg/m3

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

May intensify fire

### 10.2 Chemical stability

Stable under recommended storage conditions.

#### 10.3 Possibility of hazardous reactions

Decomposes when wet.

#### 10.4 Conditions to avoid

Heat, Sparks and incompatible material

### 10.5 Incompatible materials

Strong bases, Powdered metals, moisture/water.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - Barium oxide

Other decomposition products - No data available

In the event of fire: see section 5



### **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

#### **Acute toxicity**

LD50 Subcutaneous - Mouse - 50 mg/kg

#### Skin corrosion/irritation

No data available

### Serious eye damage/eye irritation

No data available

### Respiratory or skin sensitisation

No data available

### Germ cell mutagenicity

No data available

#### Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

#### Reproductive toxicity

No data available

### Specific target organ toxicity - single exposure

No data available

### Specific target organ toxicity - repeated exposure

No data available

#### **Aspiration hazard**

No data available

#### **Additional Information**

RTECS: CR0175000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Short-term toxicity to aquatic invertebrates

LC50 (48 h) 14.5 mg/L

Toxicity to aquatic algae and cyanobacteria

EC50 (72 h) 1.15 - 100 mg/L

NOEC (72 h) 1.15 - 100 mg/L

#### 12.2 Persistence and degradability

No data available

### 12.3 Bioaccumulative potential

No data available



### 12.4 Mobility in soil

No data available

#### 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

#### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

#### **Product**

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company. Unused product may be returned and reused, in addition to disposal.

#### Contaminated packaging

Dispose of as unused product.

### **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 1449 IMDG: 1449 IATA: 1449

14.2 UN proper shipping name

ADR/RID: BARIUM PEROXIDE IMDG: BARIUM PEROXIDE IATA: Barium peroxide

14.3 Transport hazard class(es)

ADR/RID: 5.1 (6.1) IMDG: 5.1 (6.1) IATA: 5.1 (6.1)

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

No data available

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

N/A

### **SECTION 15: Regulatory information**

# **15.1** Safety, health and environmental regulations/legislation specific for the substance or mixture This safety datasheet complies with the requirements of Regulation (EC) No. 1907/2006.

#### 15.2 Chemical safety assessment

For this product a chemical safety assessment was not carried out



### **SECTION 16: Other information**

### Full text of H-Statements referred to under sections 2 and 3.

H272 May intensify fire; oxidizer. H302 Harmful if swallowed.

H302 + H332 Harmful if swallowed or if inhaled

H332 Harmful if inhaled.

### Revisions made since previous version of data sheet:

The following sections of this data sheet have been updated: 1.2, 3.1, 4.1, 5.1, 5.2, 6.1, 6.3, 7.1, 8.2, 10.3, 10.5, 13.1, 14.7, 15.1, 16

We strongly recommend reading the entire data sheet for this chemical in preparation ahead of use.

#### **Further information**

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Better Equipped and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product.